

Lantern Inside a Lantern

Original - 14.46 in (367.2 mm) square canvas

US Letter portrait / 4 pattern sheets / 2 columns x 2 rows

1 Print at actual size

Use US Letter paper. Select 100% or Actual size. Turn off Fit, Shrink and printer headers. The selected size is already built into this PDF.

2 Check both scale bars

Measure the bars below on the printed page. They must be exactly 2 inches and 50 millimeters. Correct printer scaling before transferring the pattern.

3 Join the labeled sheets

Arrange lettered rows from top to bottom and numbered columns from left to right. Align matching crosshairs within the 0.25-inch overlap; trim only the outer overlap edge if needed and tape the sheets together.

4 Fit before tracing

Hold the complete drawing against firm pumpkin rind. Keep every opening and dashed bridge zone on the available face. Choose another offered size or the no-carve method if it does not fit. Do not resize this PDF in the print dialog.



2 inches exactly



50 mm exactly

READ THE MARKS

Black shapes: cut out. Orange dashed boxes: retained bridges; do not cut. Pale-gray outline and center cross: alignment guides, not cuts or scores. Dark-gray dashed shapes: surface scores only.

Keep the scored handle connected to the frame at both ends and preserve every pane mullion.

Adult carving only. Use a secured battery light. Print-size and drawing checks do not establish real rind strength or prove a physical carving test.







